

July 3, 2006
Public Service Commission
211 Sower Blvd
P.O. Box 615
Frankfort, Kentucky, 40602

RECEIVED
JUL 6 2006
PUBLIC SERVICE
COMMISSION

To the Public Service Commission:

I am inquiring on case no. 2006-00208. I just received notice from LG&E regarding a Environmental Surcharge proposal. I understand that LG&E will have costs associated with the new pollution control guidelines. However, as a customer we have been paying an environmental surcharge for years for the last upgrades. Surely that project has been more than paid for so why should a customer continue to be charged for an old upgrade and now have an additional upgrade charge added?

I am a bit confused by their instructions on a request to intervene. I understand a motion may be submitted within 30 days of publication but the application won't be available for public inspection until June 23? Is that the publication?

Thank you for consideration of this proposed increase.


Vicki Lemaster
108 Willow Stone Way
Louisville Ky 40223
lemaster@iglou.com



Robert K. Lemaster
Vicki Armstrong Lemaster
108 Willow Stone Way
Louisville, KY 40223

LOUISVILLE KY 400

05 JUL 2006 PM 1 T



Public Service Commission RECEIVED
JUL 6 2006


211 Sowers Blvd PUBLIC SERVICE
COMMISSION

Box 615

Frankfort Ky 40602

4060415294





Vicki & Robert Lemaster
108 Willow Stone Way
Louisville KY 40223-2641